

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Wood Enhance

Use: Resin used in the production of coatings, inks and/or adhesives.

Details of the supplier of the safety data sheet:

Supplier:

Commercial Coating Manufactureres. Ltd.

9 Bay Park Place

Beach Haven

Auckland

Tel: +9 4834833

Emai: sales@ccmcoatings.com

Emergency Phone Number:

Emergency Phone Number (Fire, Police): **111**

Emergency Phone: New Zealand Poisons Centre 0800 764 766

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Non-hazardous substance according to GHS classification.

GHS Label Elements

Non-hazardous substance according to GHS classification.

NON-HAZARDOUS according to the criteria of NOHSC NON-DANGEROUS GOODS.

Hazard Pictograms (or hazard symbol(s)): Not applicable.

Signal word: No signal word.

Hazard Statements: No known significant effects or critical hazards.

Supplemental label elements: No data available.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

2. HAZARD IDENTIFICATION (cont.)

Precautionary statements

Prevention: Not applicable.
Response: Not applicable.
Storage: Not applicable.
Disposal: Not applicable.

Other Hazardous

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 9 %
The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 9 %
The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 9 %

HSNO Classification: Not classified, as non-hazardous.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/mixture: Polyurethane dispersion.

Chemical Name	CAS-No. EINECS-No.	Classification and labelling	Concentration [%]
Hexanedioic acid, 1,6-dihydrazide	1071-93-8	Skin Sens. 1; H317	<=0.3 - <1
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	2634-33-5	Acute Tox. 4 Oral; H302 Skin Irri. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute. 1; H400 Aquatic Chronic. 2; H411	<0.05
5-chloro-2-methyl-3(2H)-isothiazolone / 2-methyl-3(2H)-isothiazolone	55965-84-9	Eye Dam. 1; H318 Acute Tox. 2 Inhalative; H330 Skin Sens. 1A; H317 Skin Corr. 1C; H314 Aquatic Chronic 1; H410 Acute Tox. 3 Oral; H301 Acute Tox. 2 Dermal; H310 Aquatic Acute 1; H400	>=0.6 >=0.0015 >=0.6

Occupational exposure limits, if available are listed in Section 8.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact:

If in eyes, wash out IMMEDIATELY with water, ensuring eye-lids are held open. Continue flushing for at least 15 minutes. In all cases of eye contamination it is sensible precaution to seek medical attention.

Inhaled:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact:

If skin or hair contact occurs, immediately remove contaminated clothing and shoes and wash skin and hair with soap and water. If irritation occurs, seek medical attention. Launder clothing and clean shoes before re-use.

Ingested:

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders:

No action shall be taken involving any personal risk or without suitable training.

Most important symptoms/effects, acute and delayed

Over-exposure signs/symptoms:

Eye contact: No specific data.

Inhalation: No specific data.

Skin contact: No specific data.

Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Advice to doctor:

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use an extinguishing agent suitable for the surrounding fire.

Unusual Fire and Explosion Hazards:

None known.

Special hazards arising from the substance or mixture

Hazards from the substance or mixture:

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous Combustion Products:

May produce hazardous decomposition products such as carbon monoxide, carbon dioxide (dense) black smoke, aldehydes, organic acids, nitrogen oxides (NO, NO₂ etc), ammonia (NH₃), amines.

Advice for fire-Fighters

Special protective actions for Fire-Fighters:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for Fire-Fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. Wear suitable protective clothing and SCBA.

Hazchem Code: None.

Remarks: The material will not support combustion unless the water is evaporated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and Emergency procedures:

For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

6. ACCIDENTAL RELEASE MEASURES (cont.)

For non-emergency personnel – continued:

Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Dangerous Goods – Initial Emergency Response Guide (IERG) (SAA/SNZ HB76)

Guide No. Not applicable.

Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in a container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Reference to other sections:

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

7. HANDLING AND STORAGE (cont.)

Precautions for Safe Handling

Protective measures:

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for Safe Storage:

Store between the following temperatures: 5 to 40°C (41 to 104°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.

Sensitive to frost.

Specific end use(s)

Recommendations: Resin used in the production of coatings, inks and/or adhesives.

Industrial sector specific solutions: Not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

8. EXPOSURE CONTROLS/PERSONAL PROTECTION (cont.)

Control Parameters

Occupational exposure limits:

No exposure limit value known.

Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and /or the necessity to use respiratory protective equipment. Reference should be made to National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 1003(1995) and to the related documentation for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available.

Exposure controls

Appropriate engineering controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures:

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the toilet and at the end of the working day. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before re-use. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform to Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

8. EXPOSURE CONTROLS/PERSONAL PROTECTION (cont.)

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 4-8 hours (breakthrough time): Nitrile rubber (0.5 mm)
<1 hour (breakthrough time): Latex glove (0.5 mm)

Skin and Body Protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

No special protection is required. In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Remarks: Replace damaged gloves.

Advice on personal protection is applicable for high exposure levels. Select proper personal protection based on a risk assessment of the actual exposure situation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information based on physical and chemical properties

Physical state:	Liquid.
Colour:	Blue.
Odour:	Mild.
pH:	7.3.
Melting point/freezing point:	Not available.
Initial boiling point/range:	100°C

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

9. PHYSICAL AND CHEMICAL PROPERTIES (cont.)

Flash point:	>100°C (closed cup).
Evaporation rate:	Not available.
Flammability (solid gas):	Not available.
Vapour pressure:	2.3 kPa.
Vapour density:	Not available.
Relative density:	1.05 (water=1)
Density (g/cm ³):	1.05 g/cm ³ (20°C)
Bulk density:	1050 kg/m ³ .
Miscibility with water:	Miscible.
Solubility:	Partially soluble in cold and hot water.
Partition coefficient: n-Octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Viscosity:	Dynamic (room temperature): 50 mPa's (50 cP) Kinematic (room temperature): 0.47 cm ² /s (47 cSt)
Explosive properties:	Not available.
Oxidising properties:	Not available.

10. STABILITY AND REACTIVITY

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical Stability: This product is stable. Stable under recommended storage and handling conditions (See Section 7).

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid: Protect from Frost.

Incompatible Materials: No specific data.

Hazardous Decomposition Products: No specific data.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and Over-exposure occurs are:

Information on toxicological effects

Acute toxicity, Oral:

Hexanedioic acid, 1,6-dihydrazide: LD50 Rat, Female: >2000 mg/kg
Method: OECD Test Guideline 423

Acute toxicity, Dermal:

ATEmix (dermal): > 2000 mg/kg
Method: Calculation method

Hexanedioic acid, 1,6-dihydrazide:

Assessment: No data available.

Study not required according to Regulation (EC) No. 1907/2006 (REACH).

Acute toxicity, Inhalation:

ATEmix (inhal): >20mg/l, 4h
Test atmosphere Vapour
Method: Calculation method

Hexanedioic acid, 1,6-dihydrazide:

LC50 Rat, Male/Female: > 5.3 mg/l, 4h
Test atmosphere: Dust/Mist
Assessment: The substance or mixture has no acute inhalation toxicity.

Primary skin irritation

Hexanedioic acid, 1,6-dihydrazide:

Species: rabbit
Result: non-irritant
Classification: No skin irritation
Method: OECD Test Guideline 404

Primary mucosae irritation

Hexanedioic acid, 1,6-dihydrazide:

Species: rabbit
Result: non-irritant
Classification: No eye irritation
Method: OECD Test Guideline 405

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

11. TOXICOLOGICAL INFORMATION (cont.)

Sensitisation

Hexanedioic acid, 1,6-dihydrazide:

Skin sensitization (local lymph node assay (LLNA)):

Species: Mouse

Result: Inconclusive, because of conflicting experimental results.

Classification: Does not cause skin sensitization.

Method: OECD Test Guideline 429

Skin sensitisation according to Magnusson/Kligmann (maximizing test):

Species: Guinea pig

Result: positive

Classification: May cause sensitization by skin contact.

Method: OECD Test Guideline 406 Respiratory: Not available.

Respiratory sensitisation:

No data available.

Subacute, subchronic and prolonged toxicity

Hexanedioic acid, 1,6-dihydrazide:

NOAEL: 100 mg/kg

LOAEL (Lowest observable adverse effect level): 300 mg/kg

Species: rat, male/female

Dose Levels: 0 - 100 - 300 - 1000 mg/kg bw/day

Exposure duration: 90 d

Frequency of treatment: daily

Method: OECD Test Guideline 408

Carcinogenicity:

Not available.

Reproductive toxicity/Developmental Toxicity/Teratogenicity

Hexanedioic acid, 1,6-dihydrazide:

NOAEL (teratogenicity): 300 mg/kg

NOAEL (maternal): 100 mg/kg

NOAEL (developmental toxicity): 100 mg/kg body weight/day

Species: rat, female

Application Route: Oral

Dose Levels: 0 - 30 - 100 - 300 mg/kg body weight/day

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

11. TOXICOLOGICAL INFORMATION (cont.)

Frequency of treatment: Daily from day 6 to day 20 of the gestation

Method: OECD Test Guideline 414

Genotoxicity in vitro

Hexanedioic acid, 1,6-dihydrazide:

Test type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with/without

Result: negative

Method: OECD Test Guideline 476

Test type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with/without

Result: negative

Method: OECD Test Guideline 473

Test type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with/without

Result: negative

Method: OECD Test Guideline 471

Test type: Ames test

Test system: Escherichia coli

Metabolic activation: with/without

Result: negative

Method: OECD Test Guideline 471

Genotoxicity in vivo

Hexanedioic acid, 1,6-dihydrazide:

No data available.

Specific target organ toxicity (single exposure): Not available.

Specific target organ toxicity (repeated exposure): Not available.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

11. TOXICOLOGICAL INFORMATION (cont.)

Aspiration hazard: Not available.

Potential Acute Health Effects:

Eye contact:	No known significant effects or critical hazards.
Inhalation:	No known significant effects or critical hazards.
Skin contact:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics:

Eye contact:	No specific data.
Inhalation:	No specific data.
Skin contact:	No specific data.
Ingestion:	No specific data.
General:	No known significant effects or critical hazards.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Teratogenicity:	No known significant effects or critical hazards.
Developmental effects:	No known significant effects or critical hazards.
Fertility effects:	No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

Toxicity:

Acute Fish toxicity

<i>Hexanedioic acid, 1,6-dihydrazide:</i>	LC50 > 100 mg/l Species: Cyprinus carpio (Carp) Exposure duration: 96 h Method: OECD Test Guideline 203
--	--

Chronic Fish toxicity

<i>Hexanedioic acid, 1,6-dihydrazide:</i>	No data available.
--	--------------------

Acute toxicity for daphnia

<i>Hexanedioic acid, 1,6-dihydrazide:</i>	EC50 >= 106 mg/l Species: Daphnia magna (Water flea)
--	---

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

12. ECOLOGICAL INFORMATION (cont.)

	Exposure duration: 48 h Method: Regulation (EC) No. 440/2008, Annex, C.2
Chronic toxicity to daphnia Hexanedioic acid, 1,6-dihydrazide:	No data available.
Acute toxicity for algae Hexanedioic acid, 1,6-dihydrazide:	EC50 8,7 mg/l Species: Pseudokirchneriella subcapitata (green algae) Exposure duration: 72 h Method: OECD Test Guideline 201
	NOEC 0,22 mg/l Species: Pseudokirchneriella subcapitata (green algae) Exposure duration: 72 h Method: OECD Test Guideline 201
	EC50 9,19 mg/l Species: Pseudokirchneriella subcapitata (green algae) Exposure duration: 72 h Method: Regulation (EC) No. 440/2008, Annex, C.3
	NOEC 1,97 mg/l Species: Pseudokirchneriella subcapitata (green algae) Exposure duration: 72 h Method: Regulation (EC) No. 440/2008, Annex, C.3
Acute bacterial toxicity Hexanedioic acid, 1,6-dihydrazide:	EC50 > 1.000 mg/l Species: activated sludge Exposure duration: 3 h Method: OECD Test Guideline 209
<u>Ecotoxicology Assessment</u>	
Hexanedioic acid, 1,6-dihydrazide:	
Acute aquatic toxicity: Based on available data, the classification criteria are not met.	
Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.	

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

12. ECOLOGICAL INFORMATION (cont.)

Persistence / Degradability:

Hexanedioic acid, 1,6-dihydrazide:

Inoculum: activated sludge, non-adapted

Biodegradation: 61 %, 28 d, i.e. not readily biodegradable (10 day time window criterion is not met)

Method: OECD Test Guideline 301 F

Test type: aerobic

Inoculum: Sewage sludge

Biodegradation: 62,14 %, 28 d, i.e. inherently degradable

Method: OECD Test Guideline 301 E

Bioaccumulative potential:

Not available.

Mobility in soil:

Soil/water partition coefficient (K_{oc}):

Not available.

Mobility:

Not available.

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Refer to Waste Management Authority in your State. Dispose of material through a licensed waste contractor. Waste must be disposed of in accordance with national and local environmental regulations. This product is not regarded as hazardous waste. Discharging waste into drains, sewers, and rivers is forbidden.

Hazardous waste:

The classification of the product may meet the criteria for a hazardous waste.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

13. DISPOSAL CONSIDERATIONS (cont.)

Container Handling and Disposal:

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may contain some product residues. Avoid disposal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

	ADG Code (Transport by road and rail)	Marine Transport (IMO/IMDG)	Air Transport (ICAO-IATA)
UN number:	Not dangerous goods	Not dangerous goods	Not dangerous goods
Proper Shipping Name:			
Dangerous Goods Class:			
Packing Group:			
HazChem Code:	None allocated.	None allocated.	None allocated.
Environmental Hazards:	No.	Yes	No.

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code: Not available.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

15. REGULATORY INFORMATION

Safety, health and environment regulations/legislation specific for the substance or mixture

Classification (SAFE WORK AUSTRALIA) Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals, the Australian Code for the Transport of Dangerous Goods by Road and Rail and the "New Zealand NZS5433: Transport of Dangerous Goods on Land":

NOT HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

Poison Schedule (Australia): Schedule 5 (S5)

Australian Inventory of Chemical Substances (AICS/NICNAS): All of the components of this product are on the inventory.

Other Countries:

European Inventory of Existing Chemicals (EINECS): All of the components of this product are included on EINECS.

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV – List of substances subject to authorisation.

Annex XIV – None of the components are listed.

Substances of very high concern – None of the components are listed.

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles – Not applicable.

Ozone depleting substances (1005/2009/EU) – Not listed.

Prior Informed Consent (PIC) (649/2012/EU) – Not listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals – Not listed.

Montreal Protocol (Annexes A, B, C E) – Not listed.

Stockholm Convention on Persistent Organic Pollutants – Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) – Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals – Not listed.

Chemical safety assessment: No Chemical Safety Assessment has been carried out.

HSNO Classification: Not classified as hazardous.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

16. OTHER INFORMATION

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.

Full text of abbreviated H-statements:

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310: Fatal in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Preparation and Revision of SDS

Issue date: 07/04/2022

Revision date: 28/06/2023

Version: 2.1

Reason(s) for Update: Update contact information and Chapter 3 Composition.

CCM Wood Enhance Safety Data Sheet

Issue date: 07.04.2022

Revision date: 28.06.2026

Wood Enhance

16. OTHER INFORMATION (cont.)

Disclaimer:

This Safety Data Sheet should be used in conjunction with the Technical Data Sheet. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfil his obligations regarding the use of hazardous products. The information is not exhaustive. This does not exonerate the user from ensuring that legal obligation, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.

End of SDS